




PROMO MASCHI 2026

POT/SFT (TiN)


Promo valida dal 01/01/2026

50%
DISCOUNT






- Maschio a taglio in HSSE per fori passanti
- Non rivestita
- Per acciai generici



P ○ C < 0,2%	P ○ 0,25 < C < 0,4	P ○ C ≥ 0,45%	P ○ SCM	K ○ GGG	N ○ Al	N ● AC, ADC	
12-20	8-12	8-12	8-12	8-12	15-25	15-20	m/min
M	HSSE	ISO 2 6H	B/4	DIN 371	DIN 376		

EDP	TD	TP	LF	THLGTH	LU	DCON	DRVS	NOF	Tipo	DIN	Prezzo	50%
60712560	2	0,4	45	8	-	2,8	2,1	2	1	371	19,20	9,60
60713360	2,5	0,45	50	9	-	2,8	2,1	2	1	371	17,20	8,60
60713860	3	0,5	56	-	18	3,5	2,7	3	2	371	16,30	8,15
60714060	3,5	0,6	56	-	20	4	3	3	2	371	17,20	8,60
60714460	4	0,7	63	-	21	4,5	3,4	3	2	371	16,30	8,15
60714960	5	0,8	70	-	25	6	4,9	3	2	371	16,50	8,25
60715560	6	1	80	-	30	6	4,9	3	2	371	16,50	8,25
60716160	8	1,25	90	-	35	8	6,2	3	2	371	18,50	9,25
60716960	10	1,5	100	-	39	10	8	3	2	371	21,50	10,75
60813860	3	0,5	56	11	-	2,2	-	3	3	376	16,30	8,15
60814460	4	0,7	63	13	-	2,8	2,1	3	3	376	16,30	8,15
60814960	5	0,8	70	16	-	3,5	2,7	3	3	376	16,50	8,25
60815560	6	1	80	19	-	4,5	3,4	3	3	376	16,50	8,25
60816160	8	1,25	90	22	-	6	4,9	3	3	376	18,50	9,25
60816960	10	1,5	100	24	-	7	5,5	3	3	376	21,50	10,75
60817960	12	1,75	110	28	-	9	7	3	3	376	25,00	12,50
60819160	14	2	110	30	-	11	9	3	3	376	32,10	16,05
60820260	16	2	110	32	-	12	9	3	3	376	39,90	19,95
60821460	18	2,5	125	34	-	14	11	3	3	376	47,20	23,60
60822860	20	2,5	140	34	-	16	12	3	3	376	56,30	28,15
60823860	22	2,5	140	34	-	18	14,5	3	3	376	90,10	45,05
60824760	24	3	160	38	-	18	14,5	3	3	376	100,20	50,10
60826260	27	3	160	38	-	20	16	4	3	376	120,50	60,25
60827160	30	3,5	180	45	-	22	18	4	3	376	153,40	76,70
60828160	33	3,5	180	50	-	25	20	4	3	376	168,80	84,40
60829460	36	4	200	56	-	28	22	4	3	376	197,70	98,85



- Maschio a taglio in HSSE per fori passanti
- Non rivestita
- Per acciai generici
- Secondo norma DIN 352 codolo lunghezza ridotta

 C < 0,2% 12-20	 0,25 < C < 0,4 8-12	 C ≥ 0,45% 8-12	 SCM 8-12	 GGG 8-12	 Al 15-25	 AC, ADC 15-20	m/min
M	HSSE	ISO 2 6H	 B/4		DIN 352		

[illegible]


TIN-POT

Filettatura | Maschio a taglio | Metrica

50%
DISCOUNT




- Maschio a taglio in HSSE per fori passanti
- Rivestimento TiN
- Fino a 850 N/mm²



P ○ C < 0,2%	P ○ 0,25 < C < 0,4	P ● C ≥ 0,45%	P ○ SCM	M ● INOX	K ○ GGG	N ○ Al	N ○ AC, ADC	S ○ Ti	
15-24	10-15	10-15	8-13	8-16	10-15	15-25	15-20	6-9	m/min

M	HSSE	TiN	ISO 2 6H	B/4	DIN 371	DIN 376
----------	-------------	------------	---------------------	------------	----------------	----------------

EDP	TD	TP	LF	THLGTH	LU	DCON	DRVS	NOF	Tipo	DIN	Prezzo	50%
6071256001	2	0,4	45	8	-	2,8	2,1	2	1	371	26,60	13,30
6071336001	2,5	0,45	50	9	-	2,8	2,1	2	1	371	25,80	12,90
6071386001	3	0,5	56	-	18	3,5	2,7	3	2	371	22,80	11,40
6071406001	3,5	0,6	56	-	20	4	3	3	2	371	24,20	12,10
6071446001	4	0,7	63	-	21	4,5	3,4	3	2	371	23,30	11,65
6071496001	5	0,8	70	-	25	6	4,9	3	2	371	23,50	11,75
6071556001	6	1	80	-	30	6	4,9	3	2	371	23,50	11,75
6071616001	8	1,25	90	-	35	8	6,2	3	2	371	28,70	14,35
6071696001	10	1,5	100	-	39	10	8	3	2	371	36,00	18,00
6081386001	3	0,5	56	11	-	2,2	-	3	3	376	25,80	12,90
6081446001	4	0,7	63	13	-	2,8	2,1	3	3	376	26,60	13,30
6081496001	5	0,8	70	16	-	3,5	2,7	3	3	376	27,00	13,50
6081556001	6	1	80	19	-	4,5	3,4	3	3	376	27,60	13,80
6081616001	8	1,25	90	22	-	6	4,9	3	3	376	31,80	15,90
6081696001	10	1,5	100	24	-	7	5,5	3	3	376	37,00	18,50
6081796001	12	1,75	110	28	-	9	7	3	3	376	43,90	21,95
6081916001	14	2	110	30	-	11	9	3	3	376	54,10	27,05
6082026001	16	2	110	32	-	12	9	3	3	376	60,90	30,45
6082146001	18	2,5	125	34	-	14	11	3	3	376	84,80	42,40
6082286001	20	2,5	140	34	-	16	12	3	3	376	89,30	44,65
6082386001	22	2,5	140	34	-	18	14,5	3	3	376	119,90	59,95
6082476001	24	3	160	38	-	18	14,5	3	3	376	121,20	60,60
6082626001	27	3	160	38	-	20	16	4	3	376	154,20	77,10
6082716001	30	3,5	180	45	-	22	18	4	3	376	183,50	91,75




- Maschio a taglio in HSSE per fori passanti
- Non rivestita
- Per acciai generici


P ○ C < 0,2%	P ○ 0,25 < C < 0,4	P ○ C ≥ 0,45%	P ○ SCM	K ○ GGG	N ○ Al	N ● AC, ADC	
12-20	8-12	8-12	8-12	8-12	15-25	15-20	m/min


MF	HSSE	ISO 2 6H	B/4	DIN 374
-----------	-------------	---------------------	------------	----------------

EDP	TD	TP	LF	THLGTH	DCON	DRVS	NOF	DIN	Prezzo	50%
60614560	4	0,5	63	10	2,8	2,1	3	374	17,50	8,75
60615160	5	0,5	70	12	3,5	2,7	3	374	18,00	9,00
60615660	6	0,75	80	14	4,5	3,4	3	374	18,00	9,00
60616360	8	0,75	80	18	6	4,9	3	374	20,20	10,10
60616260	8	1	90	22	6	4,9	3	374	20,20	10,10
60617260	10	0,75	90	18	7	5,5	3	374	23,50	11,75
60617160	10	1	90	20	7	5,5	3	374	23,50	11,75
60617060	10	1,25	100	24	7	5,5	3	374	23,50	11,75
60618260	12	1	100	22	9	7	3	374	27,70	13,85
60618160	12	1,25	100	22	9	7	3	374	27,70	13,85
60618060	12	1,5	100	22	9	7	3	374	27,70	13,85
60619460	14	1	100	18	11	9	3	374	35,60	17,80
60619360	14	1,25	100	22	11	9	3	374	35,60	17,80
60619260	14	1,5	100	22	11	9	3	374	35,60	17,80
60620460	16	1	100	18	12	9	3	374	43,70	21,85
60620360	16	1,5	100	22	12	9	3	374	43,70	21,85
60621860	18	1	110	20	14	11	3	374	51,30	25,65
60621660	18	1,5	110	25	14	11	3	374	51,30	25,65
60621560	18	2	125	26	14	11	3	374	51,30	25,65
60623260	20	1	125	20	16	12	3	374	62,20	31,10
60623060	20	1,5	125	25	16	12	3	374	62,20	31,10
60622960	20	2	140	27	16	12	3	374	62,20	31,10
60624060	22	1,5	125	25	18	14,5	3	374	99,20	49,60
60623960	22	2	140	27	18	14,5	3	374	99,20	49,60
60625060	24	1,5	140	28	18	14,5	3	374	109,70	54,85
60624960	24	2	140	27	18	14,5	3	374	109,70	54,85
60627360	30	2	150	30	22	18	4	374	168,70	84,35




- Maschio a taglio in HSSE per fori passanti
- Non rivestita
- Per acciai generici

[illegible]




- Maschio a taglio in HSSE per fori ciechi
- Non rivestita
- Per acciai generici




P ○ C < 0,2%	P ○ 0,25 < C < 0,4	P ○ C ≥ 0,45%	P ○ SCM	K ○ GGG	N ○ Al	N ○ AC, ADC	
8-13	7-12	7-12	6-9	6-8	10-20	10-15	m/min
M	HSSE	40°	ISO 2 6H	C/2,5	DIN 371	DIN 376	

EDP	TD	TP	LF	THLGTH	LU	DCON	DRVS	NOF	Tipo	DIN	Prezzo	50%
61312560	2	0,4	45	-	8	2,8	2,1	2	1	371	21,90	10,95
61313360	2,5	0,45	50	-	9	2,8	2,1	2	1	371	20,80	10,40
61313860	3	0,5	56	-	18	3,5	2,7	3	2	371	17,20	8,60
61314060	3,5	0,6	56	-	20	4	3	3	2	371	18,80	9,40
61314460	4	0,7	63	-	21	4,5	3,4	3	2	371	18,00	9,00
61314960	5	0,8	70	-	25	6	4,9	3	2	371	18,00	9,00
61315560	6	1	80	-	30	6	4,9	3	2	371	18,00	9,00
61316160	8	1,25	90	-	35	8	6,2	3	2	371	18,80	9,40
61316960	10	1,5	100	-	39	10	8	3	2	371	22,10	11,05
61413860	3	0,5	56	5	-	2,2	-	3	3	376	17,20	8,60
61414460	4	0,7	63	7	-	2,8	2,1	3	3	376	18,00	9,00
61414960	5	0,8	70	8	-	3,5	2,7	3	3	376	18,00	9,00
61415560	6	1	80	10	-	4,5	3,4	3	3	376	18,00	9,00
61416160	8	1,25	90	13	-	6	4,9	3	3	376	18,80	9,40
61416960	10	1,5	100	15	-	7	5,5	3	3	376	22,10	11,05
61417960	12	1,75	110	18	-	9	7	3	3	376	26,10	13,05
61419160	14	2	110	20	-	11	9	3	3	376	34,90	17,45
61420260	16	2	110	20	-	12	9	3	3	376	41,70	20,85
61421460	18	2,5	125	25	-	14	11	4	3	376	50,30	25,15
61422860	20	2,5	140	25	-	16	12	4	3	376	58,80	29,40
61423860	22	2,5	140	25	-	18	14,5	4	3	376	93,90	46,95
61424760	24	3	160	30	-	18	14,5	4	3	376	104,80	52,40
61426260	27	3	160	30	-	20	16	4	3	376	126,60	63,30
61427160	30	3,5	180	35	-	22	18	4	3	376	160,20	80,10
61428160	33	3,5	180	35	-	25	20	4	3	376	175,40	87,70
61429460	36	4	200	40	-	28	22	4	3	376	205,50	102,75



- Maschio a taglio in HSSE per fori ciechi
- Non rivestita
- Per acciai generici
- Secondo norma DIN 352 codolo lunghezza ridotta

[illegible]


TIN-SFT

Filettatura | Maschio a taglio | Metrica

50%
DISCOUNT



- Maschio a taglio in HSSE per fori ciechi
- Rivestimento TiN
- Fino a 850 N/mm²




P ○ C < 0,2%	P ○ 0,25 < C < 0,4	P ● C ≥ 0,45%	P ○ SCM	M ○ INOX	K ○ GGG	N ○ Al	N ○ AC, ADC	
8-13	7-12	7-12	6-9	5-8	7-12	10-20	10-15	m/min

M	HSSE	TiN	40°	ISO 2 6H	C/2,5	DIN 371	DIN 376
----------	-------------	------------	------------	---------------------	--------------	----------------	----------------

EDP	TD	TP	LF	THLGTH	LU	DCON	DRVS	NOF	Tipo	DIN	Prezzo	50%
6131256001	2	0,4	45	-	8	2,8	2,1	2	1	371	27,60	13,80
6131336001	2,5	0,45	50	-	9	2,8	2,1	2	1	371	27,30	13,65
6131386001	3	0,5	56	-	18	3,5	2,7	3	2	371	25,20	12,60
6131406001	3,5	0,6	56	-	20	4	3	3	2	371	26,60	13,30
6131446001	4	0,7	63	-	21	4,5	3,4	3	2	371	25,20	12,60
6131496001	5	0,8	70	-	25	6	4,9	3	2	371	25,80	12,90
6131556001	6	1	80	-	30	6	4,9	3	2	371	26,60	13,30
6131616001	8	1,25	90	-	36	8	6,2	3	2	371	31,80	15,90
6131696001	10	1,5	100	-	39	10	8	3	2	371	38,00	19,00
6141386001	3	0,5	56	5	-	2,2	-	3	3	376	27,60	13,80
6141446001	4	0,7	63	7	-	2,8	2,1	3	3	376	28,00	14,00
6141496001	5	0,8	70	8	-	3,5	2,7	3	3	376	29,00	14,50
6141556001	6	1	80	10	-	4,5	3,4	3	3	376	29,00	14,50
6141616001	8	1,25	90	13	-	6	4,9	3	3	376	34,00	17,00
6141696001	10	1,5	100	15	-	7	5,5	3	3	376	41,30	20,65
6141796001	12	1,75	110	18	-	9	7	3	3	376	47,30	23,65
6141916001	14	2	110	20	-	11	9	3	3	376	57,60	28,80
6142026001	16	2	110	20	-	12	9	3	3	376	64,70	32,35
6142146001	18	2,5	125	25	-	14	11	4	3	376	90,80	45,40
6142286001	20	2,5	140	25	-	16	12	4	3	376	95,20	47,60
6142386001	22	2,5	140	25	-	18	14,5	4	3	376	121,40	60,70
6142476001	24	3	160	30	-	18	14,5	4	3	376	123,40	61,70
6142626001	27	3	160	30	-	20	16	4	3	376	160,10	80,05
6142716001	30	3,5	180	35	-	22	18	4	3	376	195,90	97,95

Filettatura | Maschio a taglio

Metrica




- Maschio a taglio in HSSE per fori ciechi
- Non rivestita
- Per acciai generici

Filettatura | Maschio a taglio

 C < 0,2%	 0,25 < C < 0,4	 C ≥ 0,45%	 SCM	 GGG	 Al	 AC, ADC	m/min
8-13	7-12	7-12	6-9	6-8	10-20	10-15	
 MF	 HSSE	 40°	 ISO 2 6H	 C/2,5	 DIN 374		

Metricao fine

[illegible]



- Maschio a taglio in HSSE per fori ciechi
- Non rivestita
- Per acciai generici

P ☐	P ☐	P ☐	P ☐	K ☐	N ☐	N ☐	
C < 0,2%	0,25 < C < 0,4	C ≥ 0,45%	SCM	GGG	Al	AC, ADC	m/min
8-13	7-12	7-12	6-9	6-8	10-20	10-15	
G	HSSE	 40°	 C/2,5		DIN 5156		

[illegible]



shaping your dreams

OSG ITALIA

Via Ferrero, 65 A/B3
I - 10098 Rivoli - Italy
Tel: +39 0117705211
info@osg-italia.it

10/2024 - All rights reserved. © OSG Europe 2024

The contents of this catalogue are provided to you for viewing only. They are not intended for reproduction either in part or in whole in this or other medium. They cannot be copied, used to create derivation work or used for any reason, by means without the express, written permission of the copyright owner. If prices are stated, they are netto unit-prices and any eventual tax(es) have to be added. The company is not responsible for any printing error in technical, price and/or any other data.

Tool specifications subject to change without notice.

www.osgeurope.com

